



How to check which new vehicle data entry are available in the database

Before updating your database, you might want to check which additional vehicle data entries are available. Please enter <http://databank.butler.it/databank/main.htm> on your browser, scroll to the bottom of the first page (part 2) and digit the number of smart card relevant to the aligner you intend to update (“A” in the picture below) and confirm (“B” in the picture below).


Note: the smart card number is printed on the card and can be obtained without need to extract it, by following the procedure described at page 4 (step A to D).




- select the option “CHECK BEFORE BUY”.



- At this point you shall select the version of database you intend to check:
STDA110 for standard database + USA cars,
STDA111 for standard database + USA cars + OEM,
STDA112 for standard database + USA cars + OEM + Australia,
STDA114 for OEM database
STDA115 for OEM database + Australia



You will have now access to the new vehicle data entries available for your aligner. It is possible to filter the search by selecting specific brands/models.




How to order the database update

In order to purchase your database update you shall send a purchase order by e-mail to our spare parts department (or to your area manager) indicating the version of database (STDA110 for standard database + USA cars; STDA111 for standard database + USA cars + OEM, ...etc.....) and the smart card number of the aligner you intend to update.



How to download the database update

- Our spare parts department will upload for you the “token” file needed to decode the update on the website <http://databank.butler.it/databank/main.htm>. You will be able to find it and download it from the same page where the “check before buy” option is, which you can reach inserting the number of smart card as described above. Please download the “token” file and save it on your pc. Any token file uploaded for your aligner and not yet downloaded, will be marked with a little star.

NOTE: Within 4 months after the aligner has been dispatched from factory, we will release automatically a free update token for each smart card/aligner.



- To start downloading the database update, you shall select the version you intend to download in the top part of the initial screen (part 1), accept the disclaimer about privacy, digit the smart card number and confirm



Now, you shall unzip the AS9 folder that you have previously downloaded and save it on your PC. Insert in it the “token” file you have previously downloaded and save the folder on a USB key.

How to upload the update on your wheel aligner


Use keys F1, F2, F3, F4 or directional keys on the aligner keyboard and proceed according to the following steps:




A.



B.



C.




D.

Insert the USB key where you have saved the AS9 folder, including the decoding "token" file




E.



F.



G.



H.

In the entry page of the website (part 1) you can view a video tutorial showing the steps of the update procedure (picture H. above)